



Project:
Greenburgh Graham Project



Item	Qty	Description	Sell	Sell Total
1	1 ea	SERVING COUNTER, HOT FOOD, ELECTRIC Vollrath Model No. 98888  Signature Server® Serving counter, hot food, electric, modular, 88"W x 28"D x 34"H, 18/300 series stainless steel top & wells, (6) 12" x 20" x 6-3/8" deep sealed wells, wet or dry operation, individual Touch-Temp® programmable controls, 18/400 series stainless steel unibody with black laminate finish, manifolded drains, (4) 4" locking swivel casters, 3750 watts, cULus, NSF		
	1 ea	1 year warranty against defects in materials & workmanship		
	1 ea	120/208v/60/1-ph		
	1 ea	98835 Laminate or Woodgrain finish for 88" base with stainless steel corner & edge protectors (choose from WilsonArt, Formica, Nevamar & standard finishes **contact factory for specialty laminate request**)		
	1 ea	98628 Contemporary Breath Guard, cafeteria with top shelf, 3/8" thick tempered glass with polished ends, 1" stainless steel tubular construction, for use with Vollrath (6) well Signature Server® with stainless steel countertops, units, mount to stainless steel solid surface (note: requires 14 gauge stainless steel solid surface), 1-year warranty, Made in USA, Contact Vollrath for dimensions		
	1 ea	9879206 Upgrade to 14 gauge stainless steel work surface for, (6) well 88" Signature Server® Hot Food Base (required for this breath guard)		
	1 ea	99 Stainless steel, standard		
	1 ea	NO LIGHT OR HEAT No lights or heating, standard, no charge		
	1 ea	9882006-2-C Customer Side 88" tray slide, tubular stainless, 12"W		
	1 ea	36938 Storage Module With Doors, fits Signature Server® with Stainless Steel Countertops, 74" Hot Well, 60" Utility & 74" Beverage Counter & Signature Server® with Laminate or Corian® Countertops, 76" & 90" Hot Well, 76" Bain Marie Hot Well, 76" & 90" Non-Refrigerated Cold Pan, 74" & 90" Utility, 76" Beverage Counter, stainless steel, key lock for sliding doors, 50"W, opening height 16 1/2", depth 25-1/2" for 34"H units only		
	1 ea	4" locking swivel casters, standard		
			ITEM TOTAL:	
3	1 ea	CASH REGISTER STAND		

Item	Qty	Description	Sell	Sell Total
		Vollrath Model No. 37015 Signature Server® with Stainless Steel Countertops, 34" high ADA Cashier Station, 28"W, 28"D, modular, without cashier drawer, operator side open with stainless steel floor, NSF		
	1 ea	36685 Matte Laminate finish for Signature Server® with Stainless Steel Countertops Cashier Station with stainless steel corner & edge protectors (choose from WilsonArt standard grade 107 or 350, Formica standard grade 10 or 12, Nevamar standard grade H-5 or HF-4 & Pionite standard grade G48 **contact factory for specialty laminate request pricing & lead time**)		
	1 ea	9882001-2-C Customer Side 28" tray slide, tubular stainless, 12"W		
	1 ea	36945 Signature Server® Cash Drawer, locking, drawer bell, steel construction, black powder coated finish, includes: ABS plastic removable money tray, with (5) coins & (5) bills capacity, stainless steel bill clips/hold downs, aluminum coin breaking plate		
	1 ea	36946 Duplex Receptacle, for cashier stand, 120v, 10 amp (includes 2" diameter cutout)		
	1 ea	4" locking swivel casters, standard		
ITEM TOTAL:				

4

1 ea **SERVING COUNTER, COLD FOOD**

- Vollrath Model No. 37076
Signature Server® Stainless Steel Countertop with NSF7 Cold Station,
self contained refrigeration, 74"W x 28"D x 34"H, Bloomington-style
recessed well displays pans 3" below work surface, coils surround
sidewalls, accommodates 6" deep pans, polyurethane foam
insulation, standard well drains, seamless display pan well opening
19-7/8" x 63" x 6-5/8" deep, 1/3 hp compressor, 7.2 amps, NEMA 5-15P,
120v/60/1-ph, cULus, NSF, Made in USA
- 1 ea 1 year warranty against defects in materials & workmanship
 - 1 ea 36682 Matte Laminate finish for Signature Server® with Stainless Steel
Countertops 74"W units with stainless steel corner & edge protectors
(choose from WilsonArt standard grade 107 or 350, Formica standard
grade 10 or 12, Nevamar standard grade H-5 or HF-4 & Pionite standard
grade G48 **contact factory for specialty laminate request pricing &
lead time**)
 - 1 ea 98653 Contemporary Breath Guard, single-sided buffet with top shelf,
3/8" thick tempered glass with polished ends, 1" stainless steel
tubular construction, for use with Vollrath (5) well Signature Server®
with stainless steel countertops, units, mount to stainless steel solid
surface (note: requires 14 gauge stainless steel solid surface), 1-year
warranty, Made in USA, Contact Vollrath for dimensions
 - 1 ea 9879305 Upgrade to 14 gauge stainless steel work surface for, 74"
Signature Server® Cold Pan (required for this breath guard)
 - 1 ea Brushed stainless steel, standard
 - 1 ea NO LIGHT OR HEAT No lights or heating, standard, no charge
 - 1 ea 120v/60/1-ph
 - 1 ea 9882005-2-C Customer Side, 74" tray slide, tubular stainless, 12"W
 - 1 ea 4" locking swivel casters, standard

Item	Qty	Description	Sell	Sell Total
ITEM TOTAL:				
5	1 ea	SERVING COUNTER, UTILITY  Vollrath Model No. 37021 Signature Server® Utility Station with Stainless Steel Countertop, 46"W x 28"D x 34"H, modular, 16/300 series stainless steel top, 18/400 series stainless steel enclosed base clad with black laminate, reinforced stainless steel unibody construction, 4" heavy duty swivel casters with brakes, cULus, NSF		
	1 ea	1 year warranty against defects in materials & workmanship		
	1 ea	36680 Matte Laminate Finish for Signature Server® with Stainless Steel Countertops Corner Station & 46"W units with stainless steel corner & edge protectors (choose from WilsonArt standard grade 107 or 350, Formica standard grade 10 or 12, Nevamar standard grade H-5 or HF-4 & Pionite standard grade G48 **contact factory for specialty laminate request pricing & lead time**)		
	1 ea	No breath guard		
	1 ea	9879503 Upgrade to 14 gauge stainless steel work surface for, 46" Signature Server® Utility Station		
	1 ea	smooth stainless counter, standard		
	1 ea	9882003-2-C Customer Side 46" tray slide, tubular stainless, 12"W		
	1 ea	36936-2 Storage Module with Sliding Doors, fits Signature Server® with Stainless Steel Countertops, 60" Hot Well, 60" Bain Marie Hot Well, 46" Utility Station, 74" Cold Pan, & 74" Beverage Counter & Signature Server® with Laminate or Corian® Countertops, 62" Hot Well, 62" Bain Marie Hot Well, 76" & 90" NSF7 Cold Pan, 76" & 90" Refrigerated Cold Pan, 62" Non-Refrigerated Cold Pan, 62" Utility, 76" & 90" Frost Top, stainless steel, key lock for sliding doors, 36"W, opening height 16-1/2", depth 25-1/2" for 34"H units only		
	1 ea	98818 Duplex receptacle to exterior of base, Location, voltage, & amperage must be specified		
	1 ea	4" locking swivel casters, standard		
ITEM TOTAL:				
7	2 ea	COMBI OVEN, GAS  RATIONAL Model No. B628206.19E (QUICK SHIP) (SCC 62NG) SelfCooking Center® Combi Oven/Steamer, natural gas, iCookingControl with 7 modes, HiDensityControl®, iLevelControl, Efficient CareControl, Combi-Steamer with 3 modes, (6) 18"x26" or (12) 12"x20" pan capacity, core temp probe with 6 point measurement, hand shower with automatic retracting system, ships with (3) grid shelves, ethernet interface, 208v/60/1-ph, 8'cord, NEMA 6-15P, 106,000 BTU (dual voltage: retrofitable to 240v/60/1-ph, 106,000 BTU), cCSAus, NSF, ENERGY STAR®		
	2 ea	NOTE: All discounts subject to approval by manufacturer		
	2 ea	2 years parts and labor warranty		
	2 ea	CAP Chef Assistance Program, a RATIONAL certified Chef conducts 4 hours/location specialized application training with personnel, no charge		
	1 ea	9999.9951 RCI Rational Certified Installation, new certified installation cost for a countertop model is \$1000 for the first unit (61/62/101/102)		

- space and connections for gas, electric, drain & water, includes 50 miles (100 miles round trip) from the installer, can only be purchased with a Certified Installation, THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)
- 1 ea 9999.9957 RCI Rational Certified Installation, additional countertop unit installed at same location on same day will be an additional \$800 per countertop unit (61/62/101/102) (Pricing based on a 50 mile radius, Additional charges may apply, See attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)
 - 2 ea 8720.1560US Installation Kit, for gas SCC WE/CMP 101G (120/60/1ph); gas SCC WE/CMP 62G (208-240/60/1ph); gas SCC WE/CMP 61G (120/60/1ph) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)
 - 4 ea 56.00.210A Cleaner tablet without Phosphorus, for ALL SelfCookingCenter® units since 2004 & CombiMaster® Plus units with article #BXXXXXX or Serial MI series since 4/2017, goes up to 70% further than liquid cleaner, "FREIGHT CLASS 85 LIMITED QUANTITY" (minimum order quantity: 2pcs, unless ordered with a unit)
 - 4 ea 56.00.562 Care Tablets, bucket of 150 packets for all SelfCooking Center® units from 10/2008, with CareControl - Serial SG, SH or SI series (minimum order quantity: 2pcs, unless ordered with a unit)
 - 1 ea 1900.1150US Water Filtration Double Cartridge System, for Combi-Duo models 62/62 or 62/102 or if used for more than 2 units includes: (1) double head with pressure gauge, (2) R95H filter & (1) filter. installation kit (for each additional unit add (1) additional head & additional cartridge. Maximum (4) cartridges)
 - 1 ea 9999.8448 RCI Rational Certified Installation, additional installation cost for a Rational Water Filter System is available when purchased with Certified Installation of Rational unit (Pricing based on a 50 mile radius, additional charges may apply. See attached flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)
 - 2 ea NOTE: The Rational Water Filtration Systems helps provide consistent high quality water to your RATIONAL SelfCooking Center or your CombiMaster Plus. The patented carbon block technology reduces the effects of sediment, chloramines and chlorine while providing the required flow rates
 - 2 ea NOTE: All public water systems using surface water and most ground water systems treat with either chlorine/chloramine or chlorine dioxide (EPA will allow levels as high as 4ppm safe for drinking water, exceeding our maximum level of .2ppm.
 - 2 ea NOTE: Chloride concentrations above 80ppm can cause corrosion. RATIONAL Water Filtration does NOT reduce chloride
 - 2 ea Free Water Testing Kits are available (contact factory for info)
 - 1 ea 60.71.932 Combi-Duo Closed Stacking Kit, Stationary, 6" feet, for electric or gas SCC 62 or CMP 62 stacked on electric SCC 62, SCC 102, CMP 62, or CMP 102
 - 1 ea 9999.9959 RCI Rational Certified Installation, new certified installation

Initial: _____


Page 4 of 12

04/01/2019


Item	Qty	Description	Sell	Sell Total
		(Pricing based on a 50 mile radius, Additional charges may apply, See attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)		
1 ea		9999.9812 Pre-Installation Site Survey, ensures that the site has proper space and connections for gas, electric, drain & water, includes 50		

Item	Qty	Description	Sell	Sell Total
		cost for a Combi-Duo stacked unit is \$200 for the first two units for double-stack (Pricing based on a 50 mile radius, Additional charges may apply, See attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE. USA ONLY (NET)		
	1 ea	42.00.162 Rational USB Data Memory Stick, for transferring of cooking programs and HACCP data between units & computers (NET)		
	2 ea	Door hinged on right std.		
	6 ea	6019.1150 CombiFry Basket, 1/1 GN, 12" x 20"		<Optional>


ITEM TOTAL:

- 1 1 ea **RANGE, 72", 8 BURNERS, 24" GRIDDLE**
 Imperial Model No. IR-8-G24

 Restaurant Range, gas, 72", (8) open burners, (1) 24" griddle, (2) standard ovens, (1) chrome rack per oven, 3" grease trough, removable grease pan & crumb tray, stainless steel front, sides, backguard, shelf, landing ledge & kick plate, 6" legs, adjustable feet, 386,000 BTU, NSF, CE, CSA Flame, CSA Star
- 1 ea Limited one year parts and labor warranty, standard
 - 1 ea Natural gas (must specify elevation if over 2000 ft)
 - 1 ea Griddle on left (std)
 - 1 ea Stainless steel backguard with shelf standard
 - 1 ea ISB-36 Restaurant Series Range Match Salamander Broiler, gas, 36", infrared burners, individual controls, removable (4) position broiler grid, stainless steel front, sides, top & bottom, 40,000 BTU, NSF, CE, CSA
 - 1 ea Natural gas (must specify elevation if over 2000 ft)
 - 1 ea NOTE: Stainless steel backguard and reinforcement channels are required to mount to range
 - 1 ea (2) Reinforcement channels to mount broiler or cheesemelter to range



ITEM TOTAL:





- 2 1 ea **GAS FLOOR FRYER**
 Imperial Model No. IFS-2525

 Fryer, gas, floor model, 25lb. capacity each, (2) half size pots, tube fired cast iron burners, snap action thermostat, millivolt temperature control, includes: wire mesh crumb screen & (2) nickel-plated baskets, stainless steel front, door, sides, basket hanger & frypot, 6" legs, 140,000 BTU, CSA Flame, CSA Star, NSF, CE
- 1 ea Limited one year parts and labor warranty, standard
 - 1 ea Natural gas (must specify elevation if over 2000 ft)

ITEM TOTAL:

- 3 2 ea **GAS FLOOR FRYER**
 Imperial Model No. IFS-40

 Fryer, gas, floor model, 40lb. capacity, tube fired cast iron burners, snap action thermostat, millivolt temperature control, includes: wire mesh crumb screen & (2) nickel-plated baskets, stainless steel front, door, sides, basket hanger & frypot, 6" legs, 105,000 BTU, CSA Flame, CSA Star, NSF, CE
- 2 ea Limited one year parts and labor warranty, standard
 - 2 ea Natural gas (must specify elevation if over 2000 ft)

Initial: _____

Item	Qty	Description	Sell	Sell Total
ITEM TOTAL:				
5	1 ea	ICE CUBER WITH BIN  <p>Hoshizaki Model No. KM-300BAJ Ice Maker With Bin, Cube-Style, 30"W, air-cooled, self-contained condenser, production capacity up to 295 lb/24 hours at 70°/50° (210 lb AHRI certified at 90°/70°), built-in 100 lb. ice storage capacity, crescent style cube, front opening bin, stainless steel exterior, protected with H-GUARD Plus Antimicrobial Agent, EverCheck™ alert system, ice bin opening is ADA compliant, 115v/60/1-ph, 8.4 amps, NSF, cETLus</p> <p>1 ea Warranty: 3-Year parts & labor on entire machine 1 ea Warranty: 5-Year parts & labor on evaporator 1 ea Warranty: 5-Year parts on compressor & air-cooled condenser</p>		
ITEM TOTAL:				
6	1 ea	DISHWASHER, DOOR TYPE  <p>CMA Dishmachines Model No. CMA-180CB Dishwasher, door type, 25-1/2"W x 25"D x 60"H, corner design, high temperature sanitizing with built-in booster heater, (60) racks/hour, top mounted control box, external Poly Pro™ scrap accumulator, electric tank heat, auto start/stop, auto fill, stainless steel construction, includes (1) open & (1) peg rack, 1 HP wash pump, ENERGY STAR®, NSF, UL, cULus</p> <p>1 ea 208v/60/3-ph, 49.0 amps, standard 1 ea Safe-T-Temp feature assures 180 degree sanitizing rinse once the booster thermostat has been satisfied. Cycle time will vary due to incoming water temperature.</p> <p>1 ea SR-26 Soiled Dishtable, straight design, 26"W x 29"D x 42-3/4"H, right-to-left operation, 16/304 stainless steel top, 8"H backsplash, 20" x 20" x 5" deep pre-rinse sink, 8" OC splash mount faucet holes, 2" basket drain, raised rolled edges on front & side, stainless steel legs & adjustable side bracing, NSF</p> <p>1 ea Fisher Pre-Rinse, single deck mount 1 ea SR-36 Soiled Dishtable, straight design, 36"W x 29"D x 42-3/4"H, right-to-left operation, 16/304 stainless steel top, 8"H backsplash, 20" x 20" x 5" deep pre-rinse sink, 8" OC splash mount faucet holes, 2" basket drain, raised rolled edges on front & side, stainless steel legs & adjustable side bracing, NSF</p> <p>1 ea SR-60 Soiled Dishtable, straight design, 60"W x 29"D x 42-3/4"H, right-to-left operation, 16/304 stainless steel top, 8"H backsplash, 20" x 20" x 5" deep pre-rinse sink, 8" OC splash mount faucet holes, 2" basket drain, raised rolled edges on front & side, stainless steel legs & adjustable side bracing, NSF</p> <p>1 ea Fisher Pre-Rinse, 8", wall mount 2 ea 12620.00 Slanted Rack Shelf, 42"W x 21-1/2"D, stainless steel, wall mounted 1 ea CR-60 Clean Dishtable, straight design, 60"W x 29"D x 42-3/4"H, left-to-right operation, 16/304 stainless steel top, 8"H backsplash, raised rolled edges on front & side, stainless steel legs & adjustable side bracing, NSF</p>		
ITEM TOTAL:				


Item	Qty	Description	Sell	Sell Total
9	1 ea	PIZZA OVEN, DECK-TYPE, GAS  Bakers Pride Model No. 151 Super Deck Series Pizza Deck Oven, gas, shallow depth, 36"W x 24-1/2"D bake deck, (1) 8" high deck (1) chamber, throttling thermostat range 300°F - 650°F, stainless steel exterior, 30" painted legs, 48,000 BTU, CE, NSF, CSA Star, CSA Flame 1 ea Two year parts & labor warranty standard 1 ea Must specify elevation if over 2000 ft. 1 ea Natural gas 1 ea Pizza thermostat 650 degrees F, standard 1 ea Cordierite deck, standard 1 ea Standard flue ITEM TOTAL: _____		
10	1 ea	WALK IN COMBINATION COOLER FREEZER, REMOTE Custom Model No. WALK-IN ITEM TOTAL: _____		
12	1 ea	3 HOODS Custom Model No. HOODS 1 hood for cooking equipment 1 hood for pizza oven 1 hood for dishwasher machine ITEM TOTAL: _____		
13	1 ea	DELIVERY Custom Model No. DELIVERY Deliver and set in place all equipment. Walk-in set in place by others. ITEM TOTAL: _____		
14	4 ea	FIRST AID SUPPLIES  AllPoints Foodservice Parts & Supplies Model No. 85-1193 First Aid Kit (CCC item FA-101) ITEM TOTAL: _____		
15	1 ea	HAND SINK  Sapphire Manufacturing Model No. SMHS-01 Hand Sink, wall-mounted, 17"W x 15"D, 5-1/2" deep bowl, 4" OC splash mount faucet holes, includes faucet, 8-1/2" backsplash, raised edges, basket drain and wall mounting clip, constructed of 20/304 stainless steel, NSF ITEM TOTAL: _____		
16	1 ea	SERVING COUNTER, HOT FOOD, ELECTRIC  Vollrath Model No. 36140 Signature Server® Hot Food Serving Counter, 60"W x 28"D x 30"H, 18/300 stainless steel top with 1" turndown on all sides, (4) 12" x 20" x 6-3/8" deep wells with 625 watt elements, individual Touch-Temp® programmable controls, enclosed base, 18/400 series stainless steel unibody construction, pull-out ball valve with garden hose thread,		

Initial: _____

Item	Qty	Description	Sell	Sell Total
		2500 watts, cord, plug, cULus, NSF, Made in USA, made to order, cannot be cancelled or returned		
	1 ea	1 year warranty against defects in materials & workmanship		
	1 ea	120v/60/1-ph		
	1 ea	36688 Woodgrain Laminate finish for Signature Server® with Stainless Steel Countertops 60"W units with stainless steel corner & edge protectors (choose from WilsonArt standard grade 107 or 350, Formica standard grade 10 or 12, Nevamar standard grade H-5 or HF-4 & Pionite standard grade G48 **contact factory for specialty laminate request pricing & lead time**)		
	1 ea	98652 Contemporary Breath Guard, single-sided buffet with top shelf, 3/8" thick tempered glass with polished ends, 1" stainless steel tubular construction, for use with Vollrath (4) well Signature Server® with stainless steel countertops, units, mount to stainless steel solid surface (note: requires 14 gauge stainless steel solid surface), 1-year warranty, Made in USA, Contact Vollrath for dimensions, made to order, cannot be cancelled or returned		
	1 ea	9879204 Upgrade to 14 gauge stainless steel work surface for, (4) well 60" Signature Server® Hot Food Base (required for this breath guard)		
	1 ea	99 Stainless steel, standard		
	1 ea	NO LIGHT OR HEAT No lights or heating, standard, no charge		
	1 ea	9882004-2-C Customer Side 60" tray slide, tubular stainless, 12"W		
	1 ea	36936-2 Storage Module with Sliding Doors, fits Signature Server® with Stainless Steel Countertops, 60" Hot Well, 60" Bain Marie Hot Well, 46" Utility Station, 74" Cold Pan, & 74" Beverage Counter & Signature Server® with Laminate or Corian® Countertops, 62" Hot Well, 62" Bain Marie Hot Well, 76" & 90" NSF7 Cold Pan, 76" & 90" Refrigerated Cold Pan, 62" Non-Refrigerated Cold Pan, 62" Utility, 76" & 90" Frost Top, stainless steel, key lock for sliding doors, 36"W, opening height 16-1/2", depth 25-1/2" for 34"H units only		
	1 st	SS4CASTERS Signature Server® Swivel Casters, 4"H, (2) braked, standard		

ITEM TOTAL:

17 1 ea ICE CREAM DIPPING CABINET WITH SYRUP RAIL









Master-Bilt Products Model No. FLR-80
Ice Cream Dipping Cabinet with Flavorail, display capacity of (6) 3 gallon cans, storage capacity (11) 3 gallon cans, cold-wall refrigeration, galvanized steel inner liner, painted textured galvanized steel exterior, stainless steel top with anti-cond. heater, flip lid, LESS jars & pumps, temperature range 10° to -10°F, 1/3 hp, 115v/60/1-ph, 7.5 amps, 8' cord, NEMA 5-15P, cULus, NSF, Made in USA

- 1 ea 2 year parts and labor warranty
- 1 ea 5 year compressor part warranty
- 1 ea White textured exterior finish, standard
- 1 ea A051-11229 Lid Locking Kit, less locks, for DC-45 & FLR -80
- 1 ea A051-11151 Pumps and Jar Assembly, for FLR-80: 3 chocolate/syrup pumps, 7 jars with lids, 6 spoons


ITEM TOTAL:

18 1 ea CUSTOM

Item	Qty	Description	Sell	Sell Total
Custom Model No. COFFEE COUNTER 36 inch coffee counter SS				
19	2 ea	OVERSHELF  Advance Tabco Model No. DCM-18-96 Shelf, ceiling mounted, double-deck, 96"W x 18"D, 1-5/8" posts run to the ceiling, adjustable top shelf, stainless steel, load capacity 5 lb. per sq. ft. (evenly distributed), specify working height & ceiling height		
ITEM TOTAL:				
20	1 ea	WORK TABLE, CABINET BASE SLIDING DOORS  Advance Tabco Model No. CB-SS-245 Work Table, 60"W x 24"D, cabinet base with sliding doors, 14 gauge 304 stainless steel top, stainless steel legs with adjustable hex feet, NSF		
	1 ea	TA-46 Door lock, one required for each hinge door or for each set of sliding doors		
ITEM TOTAL:				
21	1 ea	PIZZA PREPARATION REFRIGERATOR  Hoshizaki Model No. CPT46 Commercial Series Pizza Prep Table, reach-in, one-section, 11.0 cu.ft., (6) 1/3 pan capacity (pans & adapter bars included), (1) solid hinged door, (2) adjustable shelves, 1/2" thick white polyethylene cutting board, stainless steel exterior front, sides & top, stainless steel interior, self-contained refrigeration system, R-134A refrigerant, 1/5 HP, NEMA 5-15P, cETLus, ETL-Sanitation		
	1 ea	Warranty: 3-Year parts & labor on entire machine		
	1 ea	Warranty: 5-Year parts on compressor		
	1 ea	115v/60/1-ph, 3.7 amps, standard		
	1 ea	Casters, 6" (set of 4), (2 with brakes), standard		
ITEM TOTAL:				
22	1 ea	WORK TABLE, STAINLESS STEEL TOP  Sapphire Manufacturing Model No. SMT-1860S Work Table, 60"W x 18"D, 18/400 series stainless steel reinforced top, 1-1/2" rounded edge on front & rear, flat edge on both ends, adjustable stainless steel undershelf, stainless steel tubular legs, 1" adjustable stainless steel bullet feet, KD, NSF		
ITEM TOTAL:				
23	2 ea	WORK TABLE, STAINLESS STEEL TOP  Sapphire Manufacturing Model No. SMT-2460S Work Table, 60"W x 24"D, 18/400 series stainless steel reinforced top, 1-1/2" rounded edge on front & rear, flat edge on both ends, adjustable stainless steel undershelf, stainless steel tubular legs, 1" adjustable stainless steel bullet feet, KD, NSF		
ITEM TOTAL:				
24	1 ea	THREE (3) COMPARTMENT SINK		

Item	Qty	Description	Sell	Sell Total
		Sapphire Manufacturing Model No. SMS1818-3 Sink, 3-compartment, 59"W x 23-1/2"D x 45"H overall size, (3) 18"W x 18" front-to-back x 14" deep compartments, 10-1/2" backsplash, (1) set of splash mount faucet holes with 8" centers, 1-1/2" rounded edge on working sides, 18/304 stainless steel construction, galvanized steel legs, 1" adjustable plastic bullet feet, KD, NSF		
	1 st	SM-SLS18 Legs, for sink, 23-1/2"H, stainless steel with stainless steel adjustable foot, set of (4), NSF		
ITEM TOTAL:				
25	1 ea	REFRIGERATED WORK TOP Hoshizaki Model No. CRMR60-W Commercial Series Worktop Refrigerator, reach-in, two-section, 60" W, 17.55 cu.ft., self-contained rear mounted refrigeration system, (2) solid hinged doors, (2) adjustable shelves, stainless steel interior, stainless steel exterior front, sides & top, (4) 6" stem casters (2 with brakes), R-134A refrigerant, 1/5 HP, NEMA 5-15P, ETL-Sanitation, cETLus		
	1 ea	Warranty: 3-Year parts & labor on entire machine		
	1 ea	Warranty: 5-Year parts on compressor		
	1 ea	115v/60/1-ph, 4.2 amps, standard		
ITEM TOTAL:				
26	2 ea	MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR Hoshizaki Model No. CRMR60-24M Commercial Series Mega Top Refrigerator, reach-in, two-section, 60" W, 17.55 cu. ft., self-contained rear mounted refrigeration system, (2) solid hinged doors, (2) adjustable shelves, provided with (24) 1/6 pans 4" deep, 6" maximum pan depth (top rail), 10" D x 1/2" thick white polyethylene cutting board & a full set of adapter bars, stainless steel interior, stainless steel exterior front, sides & hinged top cover, (4) 6" casters (2 with brakes), R-134A refrigerant, 1/3 HP, NEMA 5-15P, cETLus, ETL-Sanitation		
	2 ea	Warranty: 3-Year parts & labor on entire machine		
	2 ea	Warranty: 5-Year parts on compressor		
	2 ea	115v/60/1-ph, 6.0 amps, standard		
ITEM TOTAL:				
27	1 ea	COFFEE BREWER FETCO Model No. CBS-1132-V+ Extractor® V+™ Series Coffee Brewer, twin, 1.0 gallon output, digital touchpad operation, adjustable brew time and volume, streamlined programming and diagnostics, manual hot water service (use with FETCO #D041 - 3.0 liter airpot, #D063 - 1.0 gallon airpot or #D451 - 1.0-gallon LUXUS thermal dispenser (sold separately) (Manufactured standard with plastic brew basket. Metal brew basket sold separately), cUL, UL, NSF		
	1 ea	NOTE: Pricing and specifications subject to change with or without notice - Please call 1.800.FETCO.99 for confirmation		
	1 ea	Circuit board: 3 year parts & 1 year labor warranty, standard		
	1 ea	Electro-mechanical parts: 2 year parts & 1 year labor warranty, standard		

Item	Qty	Description	Sell	Sell Total
	1 ea	All other parts: 1 year parts & 1 year labor warranty, standard		
	1 ea	E113251 2 x 2.3 kW heater, 200-240v, 1-ph, 2+G wires, 4.7 kW, terminal block, 19.7 max amp draw, 11.5 gallons per hour		
	1 ea	A149 Serving Station, triple, (for LUXUS® L4S-10 (S4S-10-3)		
	3 ea	D041 Airpot, 3.0 liter, with pump lever, stainless steel lined		
	1 ea	A039 Everpure® In-Line Water Filtration System, includes: filter head, connector hose, cartridge & mounting hardware		
ITEM TOTAL:				
28	1 ea	WORK TABLE, STAINLESS STEEL TOP Sapphire Manufacturing Model No. SMT-2448S Work Table, 48"W x 24"D, 18/400 series stainless steel reinforced top, 1-1/2" rounded edge on front & rear, flat edge on both ends, adjustable stainless steel undershelf, stainless steel tubular legs, 1" adjustable stainless steel bullet feet, KD, NSF		
	1 ea	SMDOS-1448 Overshelf, table mounted, double, 48"W x 14"D, rolled rim edges at front and rear, flat edge at ends, adjustable bottom shelf, 18/400 series stainless steel construction, 1" stainless steel tubular posts, KD, NSF		
ITEM TOTAL:				
29	1 ea	POT RACK Sapphire Manufacturing Model No. SM-CR48 Pot Rack, ceiling hung, triple bar design, 48" W x 22"D, includes (12) stainless steel double pot hooks, 1/4" x 2" stainless steel flat bar construction, KD, NSF		
	1 ea	SM-PRC24 Hanging Chain, 24" long, galvanized steel, for ceiling hung pot rack		
ITEM TOTAL:				
30	1 ea	CAN RACK Advance Tabco Model No. CR10-162 Can Rack, stationary design with bullet feet, with sloped glides for automatic can retrieval, designed for #10 & #5 cans, aluminum construction, holds (162) #10 cans, or (216) #5 cans		
ITEM TOTAL:				
31	9 ea	WIRE SHELVING Thunder Group Model No. CMSV2472 Packed 2 ea Wire Shelving, 24" x 72", chrome plated finish, NSF (2 each minimum order)		
	1 ea	5 year warranty, standard		
	8 ea	CMPC072 Shelving Post, 74"H, with leveling foot, heavy duty, chrome finish, NSF (4 each minimum order)		
ITEM TOTAL:				
32	9 ea	WIRE SHELVING		

Item	Qty	Description	Sell	Sell Total
		Thunder Group Model No. CMSV1842 Packed 2 ea Wire Shelving, 18" x 42", chrome plated finish, NSF (2 each minimum order)		
	20 ea	5 year warranty, standard		
	20 ea	CMPC072 Shelving Post, 74"H, with leveling foot, heavy duty, chrome finish, NSF (4 each minimum order)		
ITEM TOTAL:				
33	9 ea	WIRE SHELVING Thunder Group Model No. CMEP2472 Packed 2 ea Wire Shelving, 24" x 72", 600 lb. capacity, with 4 sets of sleeve clips, heavy duty, epoxy coated, green, NSF (2 each minimum order)		
	1 ea	5 year warranty, standard		
	20 ea	CMEC072 Shelving Post, 74"H, with leveling foot, heavy duty, epoxy coated, green, NSF (4 each minimum order)		
ITEM TOTAL:				
34	2 ea	REFRIGERATED MERCHANDISER Hoshizaki Model No. RM-45-SD Refrigerated Merchandiser, reach-in, two-section, 45 cu. ft., bottom mount self-contained refrigeration system, (2) sliding glass doors, (10) adjustable shelves, LED interior lighting, digital controller with temperature alarms & display, LED illuminated canopy, forced-air cooling, silver painted aluminum exterior, white steel interior & stainless steel floor, R134A refrigerant, 1/2 HP, NEMA 5-15P, cULus, UL EPH		
	2 ea	Warranty: 3-Year parts & labor on entire machine		
	2 ea	Warranty: 5-Year parts on compressor		
	2 ea	115v/60/1-ph, 11.8 amps, standard		
	2 ea	2" leveling legs, standard		
ITEM TOTAL:				
			Merchandise	
			Total	

Acceptance: _____ Date: _____

Printed Name: _____

Project Grand Total: _____

NOTICE TO BIDDERS GREENBURGH-GRAHAM UNION FREE SCHOOL
DISTRICT HASTINGS-ON-HUDSON, NEW YORK 10706 BID# 2019-4

The Greenburgh-Graham Union Free School District, Hastings-on-Hudson, NY is seeking bids for the following service:

Cafeteria equipment

Bids will be received at the address below until 10:00 am on May 13, 2019.

Greenburgh-Graham Union Free School District

Attn: Ms. Tracy Woodson, District Clerk,

1 South Broadway, Hastings-on-Hudson, NY 10706

Immediately thereafter the bids will be publicly opened and read aloud in the District Business Office. To obtain specifications on bid documents, please see the District's website, www.greenburghgraham.org and click on "Cafeteria equipment RFP". For technical information or to schedule a site survey, contact Mr. Chris Wilkens, Head Custodian at (914) 478-1106 x 1237. The Board of Education reserves the right to withdraw this invitation to bid and to waive any informalities in the bids or to reject any or all bids.

ACTIVITY	QTY		
*****PROSOSAL*****			
Installation installation of 20 LED 2' x 4' dimmable lights (X)	20		
Installation installation of 12 LED 2' x 4' lights (A)	12		
Installation installation of 3 LED 2' x 4' lights dimmed (B)	3		
Installation installation of 4 recessed edge lit LED exit lights (E) green	4		
Installation installation of 2 2' x 2' LED (C)	2		
Installation installation of 4 6" Juno LED (D)	4		
Installation installation of 5 TV quads	5		
Installation installation of 200 amp 3 phase 40 circuits	1		
Installation installation of cash register outlet	1		
Installation installation of cold server outlet	1		
Installation installation of hot server outlet (#1)	1		
Installation installation of hot server outlet (#2)	1		
Installation installation of coffee brewer circuit (#1)	1		
Installation installation of coffee brewer circuit (#2)	1		
Installation installation of curved top freezer outlet	1		
Installation installation of refrigerator/merchandise outlet (#1)	1		
Installation installation of refrigerator/merchandise outlet (#2)	1		
Installation	1		

ACTIVITY	QTY		
installation of under cabinet refrigerator/pizza outlet			
Installation	1		
installation of dishwasher hard wired circuit			
Installation	1		
installation of sandwich prep/refrigerator outlet			
Installation	1		
installation of prep table/refrigerator outlet			
Installation	1		
installation of combo oven/gas hard wired circuit			
Installation	1		
installation of walk-in freezer circuit (#1)			
Installation	1		
installation of walk-in freezer circuit (#2)			
Installation	1		
installation of ice cube machine outlet			
Installation	8		
installation of 8 3-way switches			
Installation	12		
installation of 12 general purpose receptacles			
Installation	10		
installation of 10 LED emergency back up lights			
Installation	4		
installation of 4fire alarm pull stations			
Labor	1		
manpower			
Subtotal	1		
*****subtotal \$27,600*****			
Tax	1		

Chris Wilkens
Greenburg Graham Schools
1 South Broadway
Hasting on Hudson, NY 10706

Cafeteria Lower Level
Zic Building

Please accept the following proposal to replace three (3) existing univentilators with Daikin vertical unit ventilators.

Included is as follows:

- Drain, demo and discard three (3) existing unit ventilators.
- Furnish and install three (3) Daikin AUS13 classroom floor unit ventilators (1250 cfm, PSC Direct Drive 3 speed motor, face and bypass, microtech controls, 6" panels, 208/60/1, 2 pipe HW/CW coil, 21-5/8" top bar grille open tunnel, return air bottom front/outdoor air rear, antique white color)
- Furnish and install all necessary piping to reconnect new units to existing mains
- Furnish and install all necessary pipe insulation.
- Start up.

Not included: Electrical wiring, draining entire building if isolation valves do not hold back water, BMS hook up, patching if needed on walls, premium time labor, sales tax if applicable, any repairs or work not included in above scope.